

## SAFETY DATA SHEET

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ISSUE DATE: 23.10.2018

REVISION DATE: 20.06.2023

SUPERSEDES: 26.02.2021

VERSION: 3.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture  
 Trade name : ND-OIL 8  
 Product code : 4816  
 SDS Number : 4816  
 UFI : S9UQ-D0JR-R00W-YAC9  
 Product use : Professional use

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Function or use category : Compressor oil for air conditioning systems

## 1.2.2. Uses advised against

Restrictions on use : None known

## 1.3. Details of the supplier of the safety data sheet

## Supplier

DENSO Europe B.V.  
 Hogeweyselaan 165  
 1382 JL Weesp - Netherlands  
 T +31-294-493493 - F +31-294-417122  
 EU\_DNEU\_MSDS\_info@eu.denso.com  
 www.denso-am.eu

## 1.4. Emergency telephone number

+31 (0)294 493 493 (Mo. - Fr. 08:30 - 17:00 CET)

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards	Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
Environmental hazards	Hazardous to the aquatic environment – Acute Hazard, Category 1	H400	Very toxic to aquatic life.
	Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411	Toxic to aquatic life with long lasting effects.

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008

## Hazard pictograms



**Signal word** Warning  
**Contains** Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-; tris(nonylphenyl) phosphite

**Hazard statements**

H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

**Prevention**

P273 Avoid release to the environment.  
P280 Wear protective gloves.

**Response**

P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P391 Collect spillage.

EUH-statements EUH205 - Contains epoxy constituents. May produce an allergic reaction.

**2.3. Other hazards**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

**Component**

tris(nonylphenyl) phosphite(26523-78-4)	The substance is included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
---	---

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

Chemical name	CAS- No EC- No Index No RRN	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-methyl-.omega.-methoxy-	24991-61-5 680-480-1 -	50 - < 100	Skin Sens. 1, H317	
Tetradecyloxirane	7320-37-8 230-786-2	1 - < 10	Skin Irrit. 2, H315 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=1.0)	
Tris(methylphenyl) phosphate	1330-78-5 809-930-9 01-2119531335-46-XXXX	0,1 - < 3	Repr. 2, H361 Aquatic Acute 1, H400 (M=1.0) Aquatic Chronic 1, H410 (M=1.0)	
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 - 01-2119565113-46-XXXX	0,1 - < 1	Aquatic Chronic 1, H410 (M=1.0)	
tris(nonylphenyl) phosphite	26523-78-4 701-028-2 -	0,1 - < 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1.0)	ED substance listed as REACH Candidate

	01-2119520601-54-XXXX		Aquatic Chronic 1, H410 (M=1.0)	
--	-----------------------	--	------------------------------------	--

Comments : ED: Endocrine Disrupting Property

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth thoroughly. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

- Precautionary measures fire : Cool containers exposed to heat with water spray and remove container, if no risk is involved.
- Firefighting instructions : Use standard firefighting procedures and consider the hazards of other involved materials.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Protective equipment : Wear appropriate protective equipment and clothing during clean-up. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Ventilate spillage area. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Keep unnecessary personnel away.

### 6.2. Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases.

### 6.3. Methods and material for containment and cleaning up

- For containment : Stop leak without risks if possible. Move containers from fire area if it can be done without personal risk.
- Methods for cleaning up : Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
- Other information : The product is immiscible with water and will spread on the water surface. Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Protect material from direct sunlight. Avoid contact with skin and eyes. Avoid breathing mist, vapours. Wear personal protective equipment.
- Hygiene measures : Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe good industrial hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original tightly closed container. Store in a well-ventilated place. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store away from incompatible materials (see Section 10 of the SDS).

### 7.3. Specific end use(s)

Compressor oil for air conditioning systems.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

##### 2,6-di-tert-butyl-p-cresol (128-37-0)

##### United Kingdom - Occupational Exposure Limits

Local name	2,6-Di-tert-butyl-p-cresol
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

##### Tris(methylphenyl) phosphate (1330-78-5)

##### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	0.41 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.18 mg/m <sup>3</sup>

##### DNEL/DMEL (General population)

Long-term - systemic effects, oral	0.02 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.03 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0.15 mg/kg bodyweight/day

**PNEC (Water)**

PNEC aqua (freshwater)	0.001 mg/l
PNEC aqua (marine water)	0
PNEC aqua (intermittent, freshwater)	0.001 mg/l

**PNEC (Sediment)**

PNEC sediment (freshwater)	2.05 mg/kg dwt
PNEC sediment (marine water)	0.205 mg/kg dwt

**PNEC (Soil)**

PNEC soil	1.01 mg/kg dwt
-----------	----------------

**PNEC (Oral)**

PNEC oral (secondary poisoning)	0.65 mg/kg food
---------------------------------	-----------------

**PNEC (STP)**

PNEC sewage treatment plant	100 mg/l
-----------------------------	----------

**2,6-di-tert-butyl-p-cresol (128-37-0)**

---

**DNEL/DMEL (Workers)**

Long-term - systemic effects, dermal	0.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.76 mg/m <sup>3</sup>

**DNEL/DMEL (General population)**

Long-term - systemic effects, oral	0.25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.435 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0.25 mg/kg bodyweight/day

**PNEC (Water)**

PNEC aqua (freshwater)	0.199 µg/L
PNEC aqua (marine water)	0.02 µg/L

**PNEC (Sediment)**

PNEC sediment (freshwater)	0.458 mg/kg dwt
PNEC sediment (marine water)	0.046 mg/kg dwt

**PNEC (Soil)**

PNEC soil	0.054 mg/kg dwt
-----------	-----------------

**PNEC (Oral)**

PNEC oral (secondary poisoning)	16.67 mg/kg food
---------------------------------	------------------

**tris(nonylphenyl) phosphite (26523-78-4)**

---

**DNEL/DMEL (Workers)**

Long-term - systemic effects, dermal	16.7 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	23.6 mg/m <sup>3</sup>

**DNEL/DMEL (General population)**

Long-term - systemic effects, oral	1.67 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	11.8 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	8.35 mg/kg bodyweight/day

**PNEC (Water)**

PNEC aqua (freshwater)	50 µg/L
PNEC aqua (marine water)	50 µg/L

PNEC aqua (intermittent, freshwater)	50 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0.15 mg/kg dwt
PNEC sediment (marine water)	0.15 mg/kg dwt
<b>PNEC (Oral)</b>	
PNEC oral (secondary poisoning)	37 mg/kg food
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	1.8 mg/l

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses with side shields. EN 166.

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing

##### Hand protection:

Protective gloves.

Material	Permeation	Thickness (mm)	Comments
Nitrile rubber (NBR)	2 (> 30 minutes)	> 0.3	EN ISO 374

### Other skin protection

#### Materials for protective clothing:

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. If the occupational exposure limit is exceeded: EN 141. EN 143

#### 8.2.2.4. Thermal hazards

##### Thermal hazard protection:

Wear appropriate thermal protective clothing, when necessary.

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

#### Other information:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Clear.

Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: 204 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 43.32 mm <sup>2</sup> /s @ 40°C
Solubility	: Not available
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0.9944 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

VOC (EU) : Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is stable and non reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Contact with incompatible materials. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Based on available data, the classification criteria are not met
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met
Skin corrosion/irritation	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met

#### ND-OIL 8

Viscosity, kinematic	43.32 mm <sup>2</sup> /s @ 40°C
----------------------	---------------------------------

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

##### Component

tris(nonylphenyl) phosphite(26523-78-4)	The substance is identified for having endocrine disrupting properties but there is no additional data available
---	--

#### 11.2.2. Other information

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

#### Tris(methylphenyl) phosphate (1330-78-5)

LC50 - Fish [1]	0.21 – 0.32 Oncorhynchus mykiss (Rainbow trout)
-----------------	---

#### 2,6-di-tert-butyl-p-cresol (128-37-0)

EC50 - Crustacea [1]	1.44 ml/l Not rapidly degradable
NOEC chronic fish	0.053 mg/l (OECD 210 method)
NOEC chronic crustacea	0.096 mg/l (OECD 211 method)
LC0, Fish, algae, acute	0.31 g/l

#### tris(nonylphenyl) phosphite (26523-78-4)

LC50 - Fish [1]	100 mg/l
EC50 - Crustacea [1]	0.3 mg/l (OECD 202 method)
EC50 72h - Algae [1]	> 100 mg/l
NOEC chronic crustacea	> 0.1 mg/l (OECD 211 method)
NOEC chronic algae	100 mg/l (OECD 201 method)

### 12.2. Persistence and degradability

#### ND-OIL 8

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------



## Tetradecyloxirane (7320-37-8)

Biodegradation 60 – 70 % (OECD 301B method)

### 12.3. Bioaccumulative potential

#### ND-OIL 8

Bioaccumulative potential No additional information available.

## Tris(methylphenyl) phosphate (1330-78-5)

Log Kow 5.11

### 12.4. Mobility in soil

#### ND-OIL 8

Ecology - soil No additional information available.

### 12.5. Results of PBT and vPvB assessment

#### ND-OIL 8

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

### 12.6. Endocrine disrupting properties

#### Component

tris(nonylphenyl) phosphite(26523-78-4) The substance is identified for having endocrine disrupting properties but there is no additional data available

### 12.7. Other adverse effects

Other adverse effects : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local regulations.

Waste treatment methods : Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

Additional information : Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Ecology - waste materials : Avoid discharge into drains, water courses or onto the ground. Avoid release to the environment.

European List of Waste (LoW) code : The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.  
13 02 08\* - other engine, gear and lubricating oils  
15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : UN 3082  
UN-No. (IMDG) : UN 3082  
UN-No. (IATA) : UN 3082  
UN-No. (ADN) : UN 3082

UN-No. (RID) : UN 3082

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetradecyloxirane ; 2,6-di-tert-butyl-p-cresol)

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetradecyloxirane ; 2,6-di-tert-butyl-p-cresol)

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Tetradecyloxirane ; 2,6-di-tert-butyl-p-cresol)

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetradecyloxirane ; 2,6-di-tert-butyl-p-cresol)

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetradecyloxirane ; 2,6-di-tert-butyl-p-cresol)

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR) : 9

Danger labels (ADR) : 9

##### IMDG

Transport hazard class(es) (IMDG) : 9

Danger labels (IMDG) : 9

##### IATA

Transport hazard class(es) (IATA) : 9

Hazard labels (IATA) : 9

##### ADN

Transport hazard class(es) (ADN) : 9

Danger labels (ADN) : 9

##### RID

Transport hazard class(es) (RID) : 9

Danger labels (RID) : 9

#### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

#### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I

Packing instructions (ADR) : P001, IBC03, LP01, R001

Hazard identification number (Kemler No.) : 90

Tunnel restriction code (ADR) : -

EAC code : •3Z

##### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Packing instructions (IMDG) : P001, LP01

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A

#### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197  
ERG code (IATA) : 9L

#### Inland waterway transport

Classification code (ADN) : M6  
Special provisions (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L  
Carriage permitted (ADN) : T

#### Rail transport

Classification code (RID) : M6  
Special provisions (RID) : 274, 335, 375, 601  
Limited quantities (RID) : 5L  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

##### EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(b)	ND-OIL 8 ; Tris(methylphenyl) phosphate ; tris(nonylphenyl) phosphite ; Tetradecyloxirane
3(c)	ND-OIL 8 ; Tris(methylphenyl) phosphate ; 2,6-di-tert-butyl-p-cresol ; tris(nonylphenyl) phosphite ; Tetradecyloxirane

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1$  % or SCL: tris(nonylphenyl) phosphite (EC 701-028-2, CAS 26523-78-4)  
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)  
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)  
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)  
VOC content : Not applicable  
Other information, restriction and prohibition regulations : Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended. Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding as amended. Directive 94/33/EC on the protection of young people at work, as amended. For details, refer to section 3 and 8.

##### Directive 2012/18/EU (SEVESO III)

Seveso Additional information : Not applicable

##### Seveso III Part I (Categories of dangerous substances)

	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

##### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes:

ANNEX II. Article 59(10) of the REACH Regulation.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative
OEL	Occupational Exposure Limit
RRN	REACH Registration no.
CAO	Cargo Aircraft Only
PCA	Passenger and Cargo Aircraft

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

### Full text of H- and EUH-statements

Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH205	Contains epoxy constituents. May produce an allergic reaction.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2

Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]**

Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

*The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.*